

VH-001 Installation Instruction





Application

The VH-001 is a VP.Start Home Vision device designed to control the ON/OFF switch in the home via AlienCheck App. You can manage your home lighting anytime, anywhere, even though you are away from home.

Key Features

Control

Local Control (ON/OFF) and Remote Control via the AlienCheck app.

Timer

Create an operation timer for swich ON/OFF.

VP.Start Bridge

Devices are able to communicate with each other Home Vision devices through the use of AlienCheck.

My Usage

Daily Operational Report.

Technical Specification

Input Voltage

200-240 (VAC)

Output Voltage 200-240 (VAC)

Frequency 50Hz

Monitor

Device status (ON/OFF), Device properties.

Schedule

Set up a daily schedule for automatic switch ON/OFF.

Alarm Notification

Operation Temperature Range

0 °C - 65 °C

Installation

Indoor

Communication Wifi 2.4GHz, Protocol 802.11 b/g/n

Download the "AlienCheck" app




iOS

Android

1. Installation

Connect 220VAC to the Input terminal. Connect the Load to the Output terminal.





To avoid electric shock, please turn off the power before installing the device.

2. Configuartion Mode



Press and hold the button on your device for 5 seconds. When the green light becomes steady, which indicates that it has entered paring mode.

3. How to add VH-001




Log in to the "AlienCheck" app. Click on the "IoT" icon.

Note: Your smartphone or tablet needs to be connected to a 2.4GHz WiFi network.

	AlienCheck	2	
C CAMP	us	KK star	
g taraca		2	O Seringi

Click on "+" to add new device.



Click on "New device".



Select "Smart Switch VH-001".




Choose your WiFi network and enter the password, and then click on "Next" button.



Press and hold the button on VH-001 for 5 seconds until the green LED turns on.



The "VP.Start Home" WiFi hotspot is connected.



After the pairing process is completed, start to control and enjoy.

Explore VP.Start by downloading our app



iOS

Android